

## Material Safety Data Sheet

**Material Name: High Temperature Adhesive**

### Section 1— Chemical Product and Company Identification

**Product Name:** Super Calstik<sup>®</sup>, CalBond<sup>™</sup>  
**CAS:** Mixture/None Assigned  
**Generic Name:** Adhesive (Industrial)  
**Formula:** Mixture  
**Chemical Name:** Mixture

#### **Manufacturer Information**

Industrial Insulation Group  
2100 Line Street  
Brunswick, GA 31520

Phone number for Health and Safety Information: 970.858.6211 (M-F, 7:00a.m. to 4:00p.m., Mountain Time)

**Trade Name:** Super Calstik; CalBond

### Section 2 — Composition and Information on Ingredients

| CAS #     | Component                 | Percent | OSHA<br>PEL | ACGIH<br>TLV | NIOSH<br>REL | UNITS             |
|-----------|---------------------------|---------|-------------|--------------|--------------|-------------------|
| 1317-65-3 | Calcium Carbonate         | 40 – 60 | 15(T) 5(R)  | 10           | NE           | mg/M <sup>3</sup> |
| 9003-55-8 | Styrene-Butadiene polymer | 15 – 25 | NE          | NE           | NE           |                   |
| 9003-04-7 | Sodium Polyacrylate       | 1 – 5   | NE          | NE           | NE           |                   |
| 1317-80-2 | Titanium dioxide          | 1 - 10  | 10          | 10           | 10           | mg/M <sup>3</sup> |
| 1344-09-8 | Sodium silicate           | 15 – 30 | 15(T) 5(R)  | 10           | NE           | mg/M <sup>3</sup> |

NE = Not Established

ACGIH TLVs are 2006 values. OSHA PELs are those in effect on the date of preparation of this MSDS. The listed PELs, TVLs and RELs are time weighted average exposure limits.

#### **Component Related Regulatory Information**

This product may be regulated, have exposure limits or other information identified as the following:

Nuisance particulates not otherwise regulated.

### Section 3 — Hazards Identification

#### **Emergency Overview**

APPEARANCE AND ODOR: Yellow or white, liquid. Faint odor.

Rubber gloves should be worn to prevent skin contact and irritation. Skin irritation may be treated by gently washing affected area with soap and warm water.

Goggles or safety glasses with side shields are recommended. Eye irritation may be treated by flushing eyes with large amounts of water. If irritation persists, contact a medical professional.

In the event of fire, use normal fire fighting procedures to prevent inhalation of smoke and gases from other products.

HMIS Rating: Health: 1, Fire: 0, Reactivity 0, Other: 0

WHMIS Class: Super Calstik and Calbond are not WHMIS controlled products

#### **Potential Health Effects**

##### **Summary**

May cause skin or eye irritation upon prolonged or repeated contact.

##### **Inhalation**

Not applicable

**Skin**

Temporary irritation, and dry skin may occur.

**Absorption**

Not applicable

**Ingestion**

This product is not intended to be ingested or eaten under normal conditions of use. If ingested, it may cause temporary irritation to the gastrointestinal (GI) tract, especially the stomach.

**Eyes**

Temporary irritation (itching) or redness may occur.

**Target Organs**

Skin and eyes.

**Primary Routes of Entry (Exposure)**

Skin and eyes.

**Medical Conditions Aggravated by Exposure**

Pre-existing skin or eye diseases or conditions may be aggravated by this product.

**Section 4 — First Aid Measures**

**First Aid: Inhalation**

Not applicable

**First Aid: Skin**

Wash gently with soap and warm water.

**First Aid: Ingestion**

If the material is swallowed, get immediate medical attention or advice -- Give several glasses of water or milk.

**First Aid: Eyes**

Do not rub or scratch your eyes. Dried adhesive particles may cause the eye to be scratched. Flush eyes with large amounts of water for 5-15 minutes. If irritation persists, contact a medical professional.

**First Aid: Notes to Physician**

This product is a mechanical irritant, and is not expected to produce any chronic health effects from acute exposures. Treatment should be directed toward removing the source of irritation with symptomatic treatment as necessary.

**Section 5 — Fire Fighting Measures**

**Flash Point:** Not applicable  
**Upper Flammable Limit (UFL):** Not applicable  
**Auto Ignition:** Not determined  
**Rate of Burning:** Not applicable

**Method Used:** Not applicable  
**Lower Flammable Limit (LFL):** Not applicable  
**Flammability Classification:** Non combustible

**General Fire Hazards**

There is no potential for fire or explosion.

**Extinguishing Media**

No special procedures are expected to be necessary for this product. Normal fire fighting procedures should be followed to avoid inhalation of smoke and gases.

**Fire Fighting Equipment/Instructions**

No special procedures are expected to be necessary for this product. Normal fire fighting procedures should be followed to avoid inhalation of smoke and gases.

**Section 6 — Accidental Release Measures**

**Containment Procedures**

Spilled material is slippery and should not be walked on. Mix with dry absorbent and clean up.

**Clean-Up Procedures**

Wastes are not hazardous as defined by RCRA; 40 CFR 261. Comply with state and local regulations for disposal of these products. If you are unsure of the regulations, contact your local Public Health Department, or the local office of the EPA.

## **Section 7 — Handling and Storage**

### **Handling Procedures**

Use protective equipment as described in Section 8 of this material safety data sheet when handling uncontained material.

### **Storage Procedures**

Do not store in aluminum tanks, as alkalinity will attack aluminum. Avoid freeze/thaw in storage. Avoid storage at temperatures above 35°C (95°F). The material thickens in high temperature storage

## **Section 8 — Exposure Control and Personal Protection**

### **Personnel Protective Equipment**

#### **Personal Protective Equipment: Eyes/Face**

Safety glasses with side shields are recommended to keep product out of the eyes.

#### **Personal Protective Equipment: Skin**

Rubber gloves should be used to help prevent excessive skin contact. Dried material is difficult to wash off.

#### **Personal Protective Equipment: Respiratory**

Not applicable

### **Ventilation**

General dilution ventilation should be provided as necessary as vapors may be offensive to some individuals.

The need for ventilation systems should be evaluated by a professional industrial hygienist, while the design of specific ventilation systems should be conducted by a professional engineer.

#### **Personal Protective Equipment: General**

No additional information available.

## **Section 9 — Physical & Chemical Properties**

|                          |                   |                          |                  |
|--------------------------|-------------------|--------------------------|------------------|
| <b>Appearance:</b>       | Yellow or white   | <b>Odor:</b>             | Faint odor       |
| <b>Physical State:</b>   | Liquid            | <b>pH:</b>               | 10.7             |
| <b>Vapor Pressure:</b>   | Not applicable    | <b>Vapor Density:</b>    | Not applicable   |
| <b>Boiling Point:</b>    | Not applicable    | <b>Melting Point:</b>    | Not determined   |
| <b>Solubility (H2O):</b> | Miscible when wet | <b>Specific Gravity:</b> | Not applicable   |
| <b>Freezing Point:</b>   | Not applicable    | <b>Solids Content:</b>   | 62% by weight    |
| <b>Evaporation Rate:</b> | Not applicable    | <b>Viscosity:</b>        | 7200 to 8500 cps |
| <b>Percent Volatile:</b> | 32%               | <b>VOC:</b>              | <0.5%            |

## **Section 10 — Chemical Stability & Reactivity Information**

### **Chemical Stability**

This is a stable material. This product is not reactive.

### **Chemical Stability**

Conditions to Avoid—Freeze/thaw causes the product to separate.

### **Incompatibility**

Reacts with acid to form a gel. Will stain aluminum when wet.

### **Hazardous Decomposition**

None identified.

### **Hazardous Polymerization**

Will not occur.

## **Section 11 — Toxicological Information**

### **Acute and Chronic Toxicity**

#### **General Product Information**

The primary acute health effects of this product include mechanical irritation of the skin and eyes and skin dryness as a result of high pH.

#### **Component Analysis - LD50/LC50**

No LD50/LC50's are available for this product's components.

### **Carcinogenicity**

#### **General Product Information**

OSHA, NTP, IARC, and ACGIH have not classified this product in its entirety as a carcinogen.

### **Component Carcinogenicity**

Calcium Carbonate (1317-65-3)

ACGIH: A4 - Not Classifiable as a Human Carcinogen

Styrene-Butadiene polymer (9003-55-8)

IARC: Monograph 19, Supplement 7; 1987 (Group 3 (not classifiable))

Titanium dioxide (1317-80-2)

ACGIH: A4 - Not Classifiable as a Human Carcinogen

IARC: Monograph 47; 1989 (Group 3 (not classifiable))

### **Chronic Toxicity**

May cause skin irritation upon prolonged or repeated contact.

## **Section 12 — Ecological Information**

### **Ecotoxicity**

#### **General Product Information**

No data available for this product.

#### **Component Analysis - Ecotoxicity - Aquatic Toxicity**

No ecotoxicity data are available for this product's components.

## **Section 13 — Disposal Considerations**

### **US EPA Waste Number & Descriptions**

#### **General Product Information**

This product, as supplied, is not regulated as a hazardous waste by the U.S. EPA under RCRA regulations. Comply with state and local regulations for disposal. If you are unsure of the regulations, contact your local Public Health Department, or the local office of the EPA.

#### **Component Waste Numbers**

No EPA Waste Numbers are applicable for this product's components.

#### **Disposal Instructions**

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

## **Section 14 — Transport Information**

### **US DOT Information**

Shipping Name: This product is not classified a hazardous material for transport.

## **Section 15 — Regulatory Information**

### **US Federal Regulations**

#### **A: General Product Information**

No information on this product as a whole.

#### **B: Component Analysis**

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

### **State Regulations**

#### **A: General Product Information**

No information available for the product.

#### **Other Regulatory Information**

##### **A: General Product Information**

No information available for the product.

##### **B: TSCA Status**

This product and its components are listed on the TSCA 8(b) inventory.

None of the components listed in this product are listed on the TSCA Export Notification 12(b) list.

### **WHMIS Classification**

This material is classified as Class E--Corrosive Material

### **International Regulations**

### **Component Analysis - WHMIS IDL**

The following components are identified under the CHPL IDL:

Sodium Silicate—CAS 1344-09-8

## **Section 16 — Other Information**

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

### **Key/Legend:**

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; NFPA = National Fire Protection Association; HMIS = Hazardous Material Identification System; CERCLA = Comprehensive Environmental Response, Compensation and Liability Act; SARA = Superfund Amendments and Reauthorization Act; DSL = Canadian Domestic Substance List; EINECS = European Inventory of New and Existing Chemical Substances; WHMIS = Workplace Hazardous Materials Information System; CAA = Clean Air Act; CHPA = Canadian Hazardous Product Act; IDL = Canadian Hazardous Product List

### **Revision Summary:**

This is a revised MSDS which replaces Revision 1.0.3 with a new date and some minor editorial wording changes. Get this and other MSDS forms electronically via Internet: <http://www.iig-llc.com> or by calling 800-866-3234.

As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given.

Prepared by IIG Technical Service.

**IMPORTANT SAFETY NOTICE:** The information in this MSDS relates only to the specific material described herein and does not relate to use in combination with any other material or substance or in any process. Because of the use of this information and the conditions of use of this product are not within the control of Industrial Insulation Group, it is the users obligation to determine the conditions of safe use of this product. Users of this product should study this MSDS and become aware of the product hazards and safety information before using this product. Users should also notify their employees, agents, and contractors regarding information contained in this MSDS and any product hazards and safety information in order to provide for safe use of this product.