



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identification

Product Name: Ricoh Toner MP 4500A
Product Number: 884922
Chemical Name: mixture
CAS Number: 0-00-0

Company Identification

Ricoh Americas Corporation
5 Dedrick Place
West Caldwell, NJ 07006 USA
1-973-882-2000 or 1-973-882-5218 (For product information)
1-800-336-6737 (For emergencies)

GENERAL USE:

MP 3500, MP 4500, MP 4000, MP 4000B, MP 4000SP, MP 4000SPF, MP 5000, MP 5000B, MP 5000SP, MP 5000SPF.

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT LISTING:

Chemical Name	Amount	CAS Number
POLYESTER RESIN	60.0 - 90.0 %	Confidential
WAX	1.0 - 20.0 %	8015-86-9
CARBON BLACK	1.0 - 20.0 %	1333-86-4

EXPOSURE GUIDELINES:

Carbon Black

OSHA PEL: 3.5 mg/m³
ACGIH TWA: 3.5 mg/m³

3. HAZARDS IDENTIFICATION

PRIMARY ENTRY ROUTES:

Inhalation, skin, ingestion.

ACUTE SKIN EFFECTS:

Non-irritant.

CARCINOGENICITY:

Carbon Black was reclassified as a Group 2B by IARC in 1996 based on the result of only the inhalation study in rats. However there was not observed the incidence of tumors on the test results on dermal or oral studies. Also 2-years inhalation study using a typical toner containing carbon black showed no association between toner exposure and animal tumors.

MEDICAL CONDITION AGGRAVATED BY LONG-TERM EXPOSURE:

Not applicable.

CHRONIC EFFECTS:

Prolonged inhalation of excessive dust may cause lung damage. It is attributed to 'lung overloading', a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust.

4. FIRST AID MEASURES

EYE CONTACT FIRST AID:

Try to remove with eye drops or flush with water.

SKIN CONTACT FIRST AID:

Wash thoroughly with soap and water.

INHALATION FIRST AID:

Gargle with plenty of water and move to place where air is fresh. If necessary, seek medical advice.

INGESTION FIRST AID:

Dilute stomach contents with plenty of water. If necessary, seek medical advice.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

COC Flash Point: N/A

Autoignition Temperature: N/A

FLAMMABLE LIMITS IN AIR

LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA:

Carbon dioxide, dry chemicals, foam or water.

FIRE FIGHTING INSTRUCTIONS:

Sprinkling water or use extinguisher in general.

6. ACCIDENTAL RELEASE MEASURES

SPILL / LEAK PROCEDURES:

If spilled, sweep up or pick up by vacuum cleaner (rated for toner extraction).

MISCELLANEOUS:

Minimize inhalation of dust. Keep product out of sewers and watercourses.

7. HANDLING AND STORAGE

HANDLING PRECAUTIONS:

Do not handle in areas where wind blows. Flying powder may enter eyes. Minimize breathing dust.

STORAGE REQUIREMENTS:

Keep out of reach of children. Keep at temperature not exceeding 35 degrees centigrade. Avoid direct sunlight in quality.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

VENTILATION:

None needed under normal use condition.

RESPIRATORY PROTECTION:

None required under normal use conditions.

PROTECTIVE CLOTHING / EQUIPMENT:

None required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM:	Powder
COLOR:	Black
ODOR:	slight plastic odor
BOILING POINT:	Not applicable C
VAPOR PRESSURE:	Not applicable psia
VAPOR DENSITY:	Not applicable (Air = 1)
SOLUBILITY IN WATER:	Insoluble
MELTING/FREEZING POINT:	Not applicable C
PH:	Not applicable
% VOLATILES:	- %
VISCOSITY:	Not available
EVAPORATION RATE:	Not applicable

10. STABILITY AND REACTIVITY

POLYMERIZATION:

None.

CONDITIONS TO AVOID:

Not applicable in normal use.

HAZARDOUS DECOMPOSITION PRODUCTS:

will not occur.

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL EFFECTS:

Rat: >5000mg/kg.

CARCINOGENICITY:

In 1996 IARC reevaluated Carbon Black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, 2-years cancer bioassay using a typical toner preparation containing carbon black did not demonstrate an association

between toner exposure and tumor development in rats.

MUTAGENICITY:

Negative (Ames test).

TERATOGENICITY:

Not available.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DEGRADATION:

Not known.

MISCELLANEOUS:

Not known in bioaccumulation.

13. DISPOSAL CONSIDERATIONS

DISPOSAL:

Used toner should be disposed of in an environmentally appropriate manner and in accordance with governmental regulations.

14. TRANSPORT INFORMATION

PRODUCT LABEL: Ricoh Toner MP 4500A

MISCELLANEOUS:

Do not expose to direct sunlight. Do not keep this over 35 degrees centigrade.

15. REGULATORY INFORMATION

No information available.

16. OTHER INFORMATION

HMIS Rating:

Health - 1
Flammability - 1
Reactivity - 0

APPROVED BY: David Huelbig
TITLE: Safety Engineer
APPROVAL DATE: March 24, 2008
SUPERCEDES DATE: December 3, 2007
RTN NUMBER: 00003550 (Official Copy)

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Americas Corporation. The data on this sheet are related only to the specific material designated herein. Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon these data.

END OF MSDS
